CUMULATIVE SUBJECT INDEX

Journal of Economic Entomology,
Volume 80, 1987

Abamectin, avermectin B_{1a}, 221
  resistance, 221
  selection, 221
  Tetranychus pacificus, 221
  Tetranychus urticae, 221
Acalymma vittatum, *Diabrotica undecimpunctata howardi*, 1004
  summer squash, 1004
Acaricides, *Aculops lycopersici*, 348
  Homeopronematus anconai, 348
  pesticide resistance, 565
  propargite, 565
  Tetranychus spp., 565
  tomatoes, 348
Acephate, *Agrotis ipsilon*, 921
  larval sensitivity, 921
  seed treatments, 921
Acrididae, insect outbreaks, 1100
  Markov models, 1100
  rangeland pests, 1100
Acrosternum hilare, *Euschistus* spp., 215
  Nezara viridula, 215
  plant damage, 215
  soybeans, 215
Action threshold, cabbage, 175
  Plutella xylostella, 175
  Spodoptera exigua, 175
  Trichoplusia ni, 175
Aculops lycopersici, acaricides, 348
  Homeopronematus anconai, 348
  tomatoes, 348
Acyrthosiphon pisum, field peas, 605
  sequential sampling, 605
Africanized honey bees, *Apis mellifera*, 621
  beekeeping, 621
  crop pollination, 621
Age stability, bell peppers, 102
  Liriomyza trifolii, 102
  population trends, 102
Agrotis ipsilon, acephate, 921
  larval sensitivity, 921
  seed treatments, 921
Alabama argillacea, generalist, 32
  gossypol, 32
  Heliothis virescens, 32
  nutritional indices, 32
  specialist, 32
Aldicarb, citrus nematode, 1064
  nematode control, 1064
  Phyllocoptruta oleivora, 1064
Aleurothrixus floccosus, *Aonidiella aurantii*, 208
  chlorpyrifos, 208
  citrus pests, 208
  foraging, 208
  Iridomyrmex humilis, 208
  Planococcus citri, 208
Alfalfa, *Empoasca fabae*, 1288
  fall control, 859
  feeding, 185
  Hypera postica, 248, 257, 512, 859, 975
  larvae, 185
  nutrient quality, 257
  perimeter spray, 859
  pest interactions, 248, 257
  pest management, 512
  plant resistance, 975
  root-rot diseases, 248, 257
  Sitona hispidulus, 248, 257
  Spissistilus festinus, 185
  sampling, 512
  seedling test, 975
  tillage, 1288
  yield, 248
Alfalfa weeds, alfalfa weevil, 1306
  Hypera postica, 1306
Alfalfa weevil, alfalfa weeds, 1306
  Hypera postica, 1306
All-terrain vehicle, pesticide application, 548
  small-plot research, 548
Almonds, *Amyelois transitella*, 1291
  Amyelois transitella, 650
  cyhexatin, 560
  insect control, 1291
  insecticides, 193, 650
  Metaseiulus occidentalis, 650
  pest management, 193
  propargite, 560
  selective application, 650
  Tetranychidae, 560
  Tetranychus spp., 193
Alphitobius diaperinus, biocontrol, 136
  insulation damage, 1197
  Steinernema feltiae, 136
Amblyomma americanum, economics, 443
Amyelois transitella, almonds, 650, 1291
  host odors, 779
  insect control, 1291
  insecticides, 650
  Metaseiulus occidentalis, 650
  pyrethroids, 779
  selective application, 650
Amygdalin, prunasin, 338
  Synanthedon exitiosa, 338
  Synanthedon pictipes, 338
*Anagrus girault*i, *Circulifer tenellus*, 362
  egg parasitoid, 362
  Mymaridae, 362
Anastrapha suspensa, *Averrhoa carambola*, 407
  commodity treatment, 646
  cultivar, 407
  modified atmospheres, 1223
  quarantine security, 646
  temperatures, 1223
Anthonomus grandis grandis, cotton pests, 358
  dipping tests, 597
  feeding tests, 597
  insecticide resistance, 358
  methyl parathion, 358
  substituted benzamides, 597
Anticarsia gemmatalis, insecticide efficacy, 169
  larva size class, 169
  Plathypena scabra, 169, 1244
  Pseudoplusia includens, 169, 1244
  soybean pests, 169
  soybean row spacing, 169
Antifeedant, Colorado potato beetle, 1238
  dicofol, 1238
Antifeedant activity, herbicides, 724
  pronamide, 724
  Spodoptera littoralis, 724
Antifeedants, *Leptinotarsa decemlineata*, 575
  limonin, 575
Antitermitics, *Coptotermes formosanus*, 312
  Rhinotermitidae, 312
Aonidiella aurantii, *Aleurothrixus floccosus*, 208
  chlorpyrifos, 208
  citrus pests, 208
  foraging, 208
  Iridomyrmex humilis, 208
  Planococcus citri, 208
Apanteles aristoteliae, *Argyrotaenia citrana*, 799
  Rubus spp., 799
Aphid trapping, *Aphis citricola*, 87
  Aphis middletonii, 87
  virus transmission, 87
Aphidoletes aphidimyza, biological control, 147
  greenhouse, 147
  Myzus persicae, 147
  release rates, 147
Aphids, barley, 696
  color preference, 51
  Diuraphis noxia, 696
  Frankliniella occidentalis, 51
  insect traps, 51
  leafminers, 51
  lettuce, 51
  tomato spotted wilt virus, 51
  wheat, 696
Aphis citricola, *Aphis middletonii*, 87
  aphid trapping, 87
  virus transmission, 87
Aphis middletonii, *Aphis citricola*, 87
  aphid trapping, 87
  virus transmission, 87
Apis mellifera, Africanized honey bees, 621
  beekeeping, 621
  brood-rearing, 14
  crop pollination, 621
  dandelions, 14
  detoxification, 5
  drones, 532
  foraging behavior, 784
  foraging, 544
  insecticide resistance, 5
  juvenile hormone, 784
  leucine, 14
  pheromone traps, 532
  population estimates, 544
  proline, 14
  synthetic 9-ODA, 532
  trapping, 544
  valine, 14
  variation, 5
Apple maggot, *Rhagoletis pomonella*, 1143
  trapping, 1143
Apple orchards, fruit injury, 979
  IPM, 979
  pesticide use, 979
Apple volatiles, control, 1057
  Rhagoletis pomonella, 1057
Apples, bioassay methods, 230
  cyhexatin, 230
  Panonychus ulmi, 230
  resistance, 230
Argyrotaenia citrana, *Apanteles aristoteliae*, 799
  Rubus spp., 799
Arrestants, diabroticites, 870
  feeding stimulants, 870
Artificial diet, development, 277
  Sctomyelois ceratoniae, 277
  fertility, 277
  Dacus latifrons, 1337
  rearing, 1337
Assay, *Liriomyza sativae*, 1083
  permethrin, 1083
Attractant, *Ceratitis capitata*, 617
  trans isomers, 617

trimedlure, 617
Diabrotica, 1137
Prionoxystus robiniae, 708
pheromones, 708
synergism, 1137
trapping, 708
Avermectin, *Bacillus thuringiensis* var. *kurstaki*, 588
neem, 588
Spodoptera exigua, 588
thuringiensin, 588
Avermectin B_1, *Ceratitis capitata*, 344
Dacus cucurbitae, 344
Dacus dorsalis, 344
Avermectin B_{1a}, abamectin, 221
Lymantria dispar L, 1284
Milbemycin D, 1284
resistance, 221
selection, 221
Tetranychus pacificus, 221
Tetranychus urticae, 221
Averrhoa carambola, *Anastrepha suspensa*, 407
cultivar, 407
Azadirachta indica, neem, 1079
rice, 1079
tungro viruses, 1079
Azadirachtin, feeding deterrents, 384
neem, 384
Spodoptera frugiperda, 384
Azinphosmethyl resistance, *Epiphyas postvittana*, 733
monitoring, 733
almonds, biological control, 555
economic analysis, 555
predatory mites, 555

Bacillus thuringiensis, B-exotoxin, 593
Choristoneura occidentalis, 204
Choristoneura occidentalis, 750
food consumption, 593
Heliothis virescens, 961
Heliothis zea, 593
Indianmeal moth, 1122
insecticide resistance, 1122
Metaseiulus occidentalis, 507
microbials, 204
Nicotiana tabacum, 961
nontarget effects, 750
persistence, 204
Tetranychus pacificus, 507
Bacillus thuringiensis subsp. *israelensis*, parasporal body proteins, 1131
plasmid complements, 1131
mammalian safety, 717
persistence, 717
Bacillus thuringiensis var. *kurstaki*, avermectin, 588
neem, 588
Spodoptera exigua, 588
thuringiensin, 588
Bait, feeding stimulant, 659
Scapteriscus, 659
Baits, *Conoderus* sp., 164
irrigation, 164
sampling, 164
traps, 164
Barley, aphids, 696
Diuraphis noxia, 696
Barrier, cabbages, 768
Delia platura, 768
row cover, 768
Bean resistance, *Ostrinia nubilalis*, 521
Beans, blacklight traps, 242
insect monitoring, 242
Loxagrotis albicosta, 242
pheromone traps, 242
Bedding plants, *Liriomyza trifolii*, 200
nitrogen, 200
survivorship, 200
tomatoes, 200
Beekeeping, Africanized honey bees, 621
Apis mellifera, 621
crop pollination, 621
Behavior, growth performance, 625
Heliothis virescens, 1149
Sarcoptes, 625
swine mange, 625
Bell peppers, age stability, 102
Liriomyza trifolii, 102
population trends, 102
Benzylphenols, *Musca autumnalis*, 37
reproduction, 37
sterility, 37
triflumuron, 37
Bermuda grass resistance, fall armyworm, 1127
host strains, 1127
B-exotoxin, *Bacillus thuringiensis*, 593
food consumption, 593
Heliothis zea, 593
Bifenthrin, drop size, 517
repellency, 517
Tetranychus urticae, 517
Binary mixtures, *Heliothis virescens*, 333
ovicides, 333
synergism, 333
Bioassay, gelatin, 1334
herbivores, 1334
Bioassay methods, apples, 230
cyhexatin, 230
Panonychus ulmi, 230
resistance, 230
Biocontrol, *Alphitobius diaperinus*, 136
Steinernema feltiae, 136
Biological control, *Aphidoletes aphidimyza*, 147
Aphidoletes aphidimyza, 147
Chrysonotomyia punctiventris, 56
Coccipolipus epilachnae, 612
corn, 906
Edovum puttleri, 65
Epilachna varivestis, 612
eggplants, 65
Ganaspidium hunteri, 56
greenhouse, 147
Halticoptera circulus, 56
integrated pest management, 56
Leptinotarsa decemlineata, 65
Liriomyza spp., 56
Musca domestica, 438
Myzus persicae, 147
parasites, 56
predatory mites, 906
release rates, 147
soybeans, 612
Trialeurodes vaporariorum, 675
tomatoes, 675
yellow sticky traps, 675
Biosteres arisanus, *Biosteres longicaudatus*, 77
Biosteres tryoni, 77
Ceratitis capitata, 77
Dacus dorsalis, 77
parasitization, 77
Biosteres longicaudatus, *Biosteres arisanus*, 77
Biosteres tryoni, 77
Ceratitis capitata, 77
Dacus dorsalis, 77
parasitization, 77
Biosteres tryoni, *Biosteres arisanus*, 77
Biosteres longicaudatus, 77
Ceratitis capitata, 77
Dacus dorsalis, 77
parasitization, 77
Biotypes, corn, 394
reproduction, 394
Schizaphis graminum, 394
Birch leafminer, birch resistance, 1331
Birch resistance, birch leafminer, 1331
Blacklight traps, beans, 242
insect monitoring, 242
Loxagrotis albicosta, 242
pheromone traps, 242
Blatta orientalis, chlorpyrifos, 131
diazinon, 131
hydramethylnon, 131
structural modification, 131
Blattella germanica, chlorpyrifos resistance, 44
infestation, 446
Periplaneta americana, 1022
pesticides, 728
population distribution, 446
pyrethroid resistance, 1117
repellents, 1022
resistance detection, 44
resistance, 728
synergists, 728, 1117
Blissus insularis, cultivar, 608
Stenotaphrum secundatum, 608
turf, 608
Blood chemistry, cattle, 120
Haematobia irritans, 120
nutrition, 120
Stomoxys calcitrans, 120
Boll components, early season insects, 670
fenvalerate, 670
fiber properties, 670
Brood-rearing, *Apis mellifera*, 14
dandelions, 14
leucine, 14
proline, 14
valine, 14
biological control, almonds, 555
economic analysis, 555
predatory mites, 555

Cabbage pest management, insecticide resistance, 1091
pyrethroids, 1091
Cabbages, action threshold, 175
barrier, 768
Delia platura, 768
Plutella xylostella, 175
row cover, 768
Spodoptera exigua, 175
Trichoplusia ni, 175
Cadra cautella, pheromones, 897
trap design, 897
Candida, hemocyte, 1205
Periplaneta americana, 1205
Cantaloupe, intraplant distribution, 96
sampling, 96
Tetranychus urticae, 96
Carpophilus hemipterus, insect pests, 1351
insect rearing, 1351
irradiation, 1302
raisins, 1302
Cattle, *Amblyomma americanum*, 443
blood chemistry, 120
economics, 443
Haematobia irritans, 120
nutrition, 120
Cattle breeds, *Haematobia irritans*, 1035
insecticide ear tags, 1035
Cattle weight gains, economic threshold, 451
Haematobia irritans, 451
helminthic, 451
Ceratitis capitata, attractant, 617
avermectin B_1, 344
Biosteres arisanus, 77
Biosteres longicaudatus, 77
Biosteres tryoni, 77
crystallization inhibitors, 806
Dacus cucurbitae, 344, 972
Dacus dorsalis, 77, 344
Dacus dorsalis, 972
parasitization, 77
pupation, 972

trans isomers, 617
trimedlure, 617, 806
Chemical control, *Contarinia oregonensis*, 1076
Douglas-fir cones, 1076
Megastigmus spermotrophus, 1076
Chemical persistence, developmental inhibitors, 126
fenoxycarb, 126
growth regulators, 126
monquitoes, 126
Chitin synthesis inhibitors, *Plutella xylostella*, 29
resistance, 29
Chitinase, *Lymantria dispar*, 1113
nuclear polyhedrosis virus, 1113
Chlorpyrifos, *Aleurothrixus floccosus*, 208
Aonidiella aurantii, 208
Blatta orientalis, 131
citrus pests, 208
diazinon, 131
foraging, 208
hydramethylnon, 131
Iridomyrmex humilis, 208
Planococcus citri, 208
structural modification, 131
Chlorpyrifos resistance, *Blattella germanica*, 44
resistance detection, 44
Choristoneura fumiferana, *Choristoneura pinus pinus*, 712
egg masses, 712
prediction models, 712
Choristoneura occidentalis, *Bacillus thuringiensis*, 204, 750
insect growth regulators, 18
microbials, 204
multinomial logit model, 18
nontarget effects, 750
persistence, 204
pyrethroids, 18
Choristoneura pinus pinus, *Choristoneura fumiferana*, 712
egg masses, 712
prediction models, 712
Chrysonotomyia punctiventris, biological control, 56
Ganaspidium hunteri, 56
Halticoptera circulus, 56
integrated pest management, 56
Liriomyza sativae, 1254
Liriomyza spp., 56
Liriomyza trifolii, 1254
parasites, 56
Chrysopa rufilabris, cotton, 376
Gossypium hirsutum, 376
Heliothis zea, 376
Citrus IPM, pesticide toxicity, 953
predatory mites, 953
Citrus nematode, aldicarb, 1064
nematode control, 1064
Phyllocoptruta oleivora, 1064
Citrus pests, *Aleurothrixus floccosus*, 208
Aonidiella aurantii, 208
chlorpyrifos, 208
foraging, 208
Iridomyrmex humilis, 208
Planococcus citri, 208
Clover, corn, 1192
intercropping, 1192
Ostrinia nubilalis, 1192
Coccipolipus epilachnae, biological control, 612
Epilachna varivestis, 612
soybeans, 612
Cochliomyia hominivorax, dichlorvos, 629
gelling agents, 427
larval diets, 427
larval diets, 427
screwworm, 1213
swormlure, 629
Color preference, *Frankliniella occidentalis*, 51
insect traps, 51
leafminers, 51
lettuce, 51
tomato spotted wilt virus, 51
Colorado potato beetle, antifeedant, 1238
dicofol, 1238
Commodity treatment, *Anastrepha suspensa*, 646
quarantine security, 646
Conoderus sp., baits, 164
irrigation, 164
sampling, 164
traps, 164
Conotrachelus nenuphar, dispersal, 1173
fall migration, 1152
mortality, 1152
spring migration, 1173
Contarinia oregonensis, chemical control, 1076
Douglas-fir cones, 1076
Megastigmus spermotrophus, 1076
Control, apple volatiles, 1057
ear tags, 822
Pisum sativum, 1325
Rhagoletis pomonella, 1057
Rhipicephalus appendiculatus, 822
Thrips tabaci, 1325
Coptotermes formosanus, antitermitics, 312
effective lethal times, 1
insecticides, 1
Rhinotermitidae, 312
slow-acting insecticides, 1
time trends, 1
Corn, biological control
biotypes, 394
clover, 1192
Delia platura, 680
Diabrotica virgifera virgifera, 286
environmental effects, 286
feeding sites, 411
intercropping, 1192
Ostrinia furnacalis, 411
Ostrinia nubilalis, 1192
predatory mites, 906
reproduction, 394
resistance, 411
Schizaphis graminum, 394
slugs, 680
tillage methods, 680
Corn kernel extracts, oviposition stimulant, 1010
Sitophilus zeamais, 1010
Corn plant introductions, *Heliothis zea*, 1048
host-plant resistance, 1048
Zea mays, 1048
Cotton, *Chrysopa rufilabris*, 376
foliar protein and tannin, 834
Gossypium hirsutum, 376
Heliothis virescens, 1149
Heliothis zea, 376
insecticides, 854
Lasioderma sericorne, 830, 834
methyl parathion, 834
plant protein, 830
yield enhancers, 854
Cotton pests, *Anthonomus grandis grandis*, 358
insecticide resistance, 358
methyl parathion, 358
Cotton pinhead square shed, *Heliothis* spp., 527
Lygus lineolaris, 527
technique, 527
Cotton strata, foliar protein, 843
Lasioderma sericorne, 843
tannin, 843
Crop pollination, Africanized honey bees, 621
Apis mellifera, 621
beekeeping, 621
Cryptolestes ferrugineus, stored product, 601
Crystallization inhibitors, *Ceratitis capitata*, 806
trimedlure, 806
Cultivar, *Anastrepha suspensa*, 407
Averrhoa carambola, 407
Blissus insularis, 608
Stenotaphrum secundatum, 608
turf, 608
Curculio, irradiation, 916
propagation, 916
Quercus virginiana, 916
Cydia pomonella, methyl bromide fumigation, 840
nectarines, 840
Cyhexatin, almonds, 560
apples, 230
bioassay methods, 230
Panonychus ulmi, 230
Cyhexatin, propargite, 560
resistance, 230
Tetranychidae, 560
Cylas formicarius elegantulus, gamma radiation, 142
mortality, 142
sterility, 142
Cyromazine, *Fannia canicularis*, 817
Fannia femoralis, 817
insect growth regulator, 352
Musca domestica, 352
resistance, 352

Dacus cucurbitae, avermectin B_1, 344
Ceratitis capitata, 344, 972
Dacus dorsalis, 344, 972
pupation, 972
Dacus dorsalis, avermectin B_1, 344
Biosteres arisanus, 77
Biosteres longicaudatus, 77
Biosteres tryoni, 77
Ceratitis capitata, 77, 344, 972
Dacus cucurbitae, 344, 972
heat treatment, 887
insect growth regulators, 494
methoprene, 494
papayas, 494, 887
parasitization, 77
pupation, 972
Dacus latifrons, artificial diets, 1337
rearing, 1337
Dairies, *Musca domestica*, 636
permethrin, 636
resistance, 636
Daktulosphaira vitifoliae, demography, 327
life table, 327
Vitis vinifera, 327
Dandelions, *Apis mellifera*, 14
brood-rearing, 14
leucine, 14
proline, 14
valine, 14
Datalogger, event recorder, 281
Degree-days, *Diaryctria amatella*, 62
larval development, 62
threshold temperature, 62
Delia platura, barrier, 768
cabbages, 768
corn, 680
row cover, 768
slugs, 680
soybeans, 680
tillage methods, 680
Demography, *Daktulosphaira vitifoliae*, 327
life table, 327
Vitis vinifera, 327
Density, *Rhopalosiphum padi*, 933
sampling, 933
Deposit characteristics, *Heliothis virescens*, 1314
insect mortality, 1314
Deroceras laeve, molluscicide, 936
strawberries, 936
Detoxification, *Apis mellifera*, 5
insecticide resistance, 5
variation, 5
Development, artificial diet, 277
Sctomyelois ceratoniae, 277
fertility, 277

Developmental inhibitors, chemical persistence, 126
fenoxycarb, 126
growth regulators, 126
mosquitoes, 126
Developmental stages, *Lymantria dispar*, 901
nucleopolyhedrosis virus, 901
Diabrotica, attractants, 1137
synergism, 1137
Diabrotica barberi, *Diabrotica virgifera virgifera*, 891, 911
larval populations, 911
Pherocon AM traps, 891
tillage, 911
Diabrotica sp., economic threshold, 1278
sequential sampling, 1278
Diabrotica undecimpunctata howardi, *Acalymma vittatum*, 1004
summer squash, 1004
Diabrotica virgifera virgifera, corn, 286
Diabrotica barberi, 891
Diabrotica barberi, 911
Diabrotica barberi, 911
environmental effects, 286
larval populations, 911
Pherocon AM traps, 891
tillage, 911
Diabroticites, arrestants, 870
feeding stimulants, 870
Diatraea grandiosella, plant resistance, 1340
Spodoptera frugiperda, 1340
Diatraea saccharalis, host-plant resistance, 182
somaclonal variation, 182
tissue-culture, 182
Diazinon, *Blatta orientalis*, 131
chlorpyrifos, 131
hydramethylnon, 131
structural modification, 131
Dichlorvos, *Cochliomyia hominivorax*, 629
swormlure, 629
Dicofol, antifeedant, 1238
Colorado potato beetle, 1238
propargite, 579
resistance, 579, 998
Tetranychus, 579
Tetranychus spp., 998
Dioryctria amatella, degree-days, 62
larval development, 62
Dipping tests, *Anthonomus grandis grandis*, 597
feeding tests, 597
substituted benzamides, 597
Dispersal, *Conotrachelus nenuphar*, 1173
Haematobia irritans, 421
movement, 421
Dispersion, *Liriomyza sativae*, 107
Phaseolus vulgaris, 107
sequential sampling, 107
Diuraphis noxia, aphids, 696
barley, 696
host resistance, 944
wheat, 696
Dosage regulation, fumigation, 705
gas chromatography, 705
sulfuryl fluoride, 705
Douglas-fir cones, *Contarinia oregonensis*, 1076
chemical control, 1076
Megastigmus spermotrophus, 1076
Drones, *Apis mellifera*, 532
pheromone traps, 532
synthetic 9-ODA, 532
Drop distribution, drop size, 540
droplet generator, 540
Drop size, bifenthrin, 517
drop distribution, 540
droplet generator, 540
repellency, 517
Tetranychus urticae, 517
Droplet generator, drop distribution, 540
drop size, 540
Droplet size, *Heliothis virescens*, 460
insecticide sprays, 460
permethrin, 460
Drosophila melanogaster, insect growth regulator, 317
methoprene, 317

Ear tags, control, 822
Rhipicephalus appendiculatus, 822
Early season insects, boll components, 670
fenvalerate, 670
fiber properties, 670
Economic injury level, economic threshold, 478
Metopolophium dirhodum, 478
Sitobion avenae, 478
Economic threshold, cattle weight gains, 451
Diabrotica sp., 1278
economic-injury level, 297, 478
feedlot cattle, 117
Haematobia irritans, 451
Heliothis zea, 867
helminthic, 451
Metopolophium dirhodum, 478
modeling, 297
pheromone traps, 867
sequential sampling, 1278
Sitobion avenae, 478
Stomoxys calcitrans, 117
sweet corn, 867
Economic-injury level, economic threshold, 297
modeling, 297
Economics, *Amblyomma americanum*, 443
cattle, 443
Ectomyelois ceratoniae, artificial diet, 277
development, 277
fertility, 277
Edovum puttleri, biological control, 65
eggplants, 65
Leptinotarsa decemlineata, 65

Effective lethal times, *Coptotermes formosanus*, 1
slow-acting insecticides, 1
time trends, 1
Egg masses, *Choristoneura fumiferana*, 712
Choristoneura pinus pinus, 712
prediction models, 712
Egg parasitoid, *Anagrus girault*i, 362
Egg production, mating effects, 93
Popillia japonica, 93
Eggplants, biological control, 65
Edovum puttleri, 65
Leptinotarsa decemlineata, 65
Electrocutor traps, *Musca domestica*, 826
Emergence traps, *Epitrix hirtipennis*, 81
soil cores, 81
Empoasca fabae, alfalfa, 1288
Medicago sativa, 690
plant resistance, 690
tillage, 1288
Enhanced degradation, isofenphos, 880
turfgrass thatch, 880
Entomopathogen, *Lagenidium giganteum*, 994
safety, 994
Environmental effects, corn, 286
Diabrotica virgifera virgifera, 286
Epicarp lesion, hemipterans, 398
kernel necrosis, 398
Pistacia vera, 398
Epilachna varivestis, biological control, 612
Coccipolipus epilachnae, 612
soybeans, 237, 612
trypsin inhibitor, 237
Epiphyas postvittana, azinphosmethyl resistance, 733
monitoring, 733
Epitrix hirtipennis, emergence traps, 81
soil cores, 81
European red mite, cyhexatin, 1106
resistance, 1106
Euschistus spp., *Acrosternum hilare*, 215
Nezara viridula, 215
plant damage, 215
soybeans, 215
Event recorder, datalogger, 281
Eye color change, Mediterranean fruit fly, 1087
pupal development rate, 1087
economic analysis, almonds, 555
biological control, 555
predatory mites, 555

Factorial experiment, maize, 388
Sitophilus zeamais, 388
Fall armyworm, Bermuda grass resistance, 1127
host strains, 1127
Fall control, alfalfa, 859
Hypera postica, 859
perimeter spray, 859
Fall migration, *Conotrachelus nenuphar*, 1152
Fannia, biological control, 438
Diptera, 438
Musca domestica, 438
nematodes, 438
Fannia canicularis, cyromazine, 817
Fannia femoralis, 817
Fannia femoralis, cyromazine, 817
Fannia canicularis, 817
Feeding, alfalfa, 185
larvae, 185
Spissistilus festinus, 185
Feeding damage, field corn, 666
Lygus hesperus, 1018
Nezara viridula, 666
Panonychus citri, 1249
photosynthesis, 1249
red clover, 1018
Feeding deterrents, azadirachtin, 384
neem, 384
Spodoptera frugiperda, 384
Feeding preferences, host plant resistance, 47
mite/host interaction, 47
oviposition rates, 47
Tetranychus urticae, 47
Feeding response, host plants, 1014
Popillia japonica, 1014
Feeding sites, corn, 411
Ostrinia furnacalis, 411
resistance, 411
Feeding stimulants, arrestants, 870
bait, 659
diabroticites, 870
Scapteriscus, 659
Feeding tests, *Anthonomus grandis grandis*, 597
dipping tests, 597
substituted benzamides, 597
Feedlot cattle, economic threshold, 117
Stomoxys calcitrans, 117
Fenoxycarb, chemical persistence, 126
developmental inhibitors, 126
growth regulators, 126
mosquitoes, 126
Fenvalerate, boll components, 670
early season insects, 670
fiber properties, 670
Fertility, artificial diet, 277
development, 277
Ectomyelois ceratoniae, 277
Fiber properties, boll components, 670
early season insects, 670
fenvalerate, 670
Field corn, feeding damage, 666
Nezara viridula, 666
Field peas, *Acyrthosiphon pisum*, 605
sequential sampling, 605
Foliar protein, cotton strata, 843
Lasioderma serricorne, 843
tannin, 843

Foliar protein and tannin, cotton, 834
Lasioderma serricorne, 834
methyl parathion, 834
Food consumption, *Bacillus thuringiensis*, 593
B-exotoxin, 593
Heliothis zea, 593
Foods, stored products, 455
warehouses, 455
Foraging, *Aleurothrixus floccosus*, 208
Aonidiella aurantii, 208
Apis mellifera, 544
chlorpyrifos, 208
citrus pests, 208
Iridomyrmex humilis, 208
Planococcus citri, 208
population estimates, 544
trapping, 544
Foraging behavior, *Apis mellifera*, 784
juvenile hormone, 784
Formamidines, formanilides, 322
Musca domestica, 322
Trichoplusia ni, 322
Formanilides, *Musca domestica*, 322
Trichoplusia ni, 322
Formulated diet, *Grapholita molesta*, 272
mass rearing, 272
quarantine pests, 272
stone fruits, 272
Frankliniella occidentalis, aphids, 51
color preference, 51
insect traps, 51
leafminers, 51
lettuce, 51
onions, 502
population resurgence, 502
tomato spotted wilt virus, 51
Fruit injury, apple orchards, 979
IPM, 979
pesticide use, 979
Fumigation, dosage regulation, 705
Grapholita molesta, 1226
gas chromatography, 705
Prunus persica, 1226
sulfuryl fluoride, 705

Gamma radiation, *Cylas formicarius elegantulus*, 142
mortality, 142
nutsadiation
raisins, 497
sterility, 142, 497
Ganaspidium hunteri, *Chrysonotomyia punctiventris*, 56
Halticoptera circulus, 56
integrated pest management, 56
Liriomyza spp., 56
Gas chromatography, dosage regulation, 705
fumigation, 705
sulfuryl fluoride, 705
Gelatin, bioassay, 1334
herbivores, 1334
Gelling agents, *Cochliomyia hominivorax*, 427
larval diets, 427
Generalist, *Alabama argillacea*, 32
gossypol, 32
Heliothis virescens, 32
nutritional indices, 32
specialist, 32
Genetic control, hybrid sterility, 1348
tobacco budworm, 1348
Genetics, *Haematobia irritans*, 433
permethrin, 433
resistance, 433
Gossypium hirsutum, *Chrysopa rufilabris*, 376
cotton, 376
Heliothis zea, 376
Gossyplure, *Pectinophora gossypiella*, 1267
pheromones, 1267
Gossypol, *Alabama argillacea*, 32
generalist, 32
Heliothis virescens, 32
nutritional indices, 32
specialist, 32
Grain sorghum, insecticidal control, 490
Schizaphis graminum, 490
soil treatment, 490
Grapholita molesta, fumigation, 1226
heat treatment, 641
Prunus persica, 1226
Prunus spp., 641
quarantine pests, 641
Grasshopper control, insecticide bait, 685
Mosema locustae, 685
Greenhouse, *Aphidoletes aphidimyza*, 147
biological control, 147
Myzus persicae, 147
release rates, 147
Growth performance, behavior, 625
Sarcoptes, 625
swine mange, 625
Growth regulators, chemical persistence, 126
developmental inhibitors, 126
fenoxycarb, 126
mosquitoes, 126
Haematobia irritans, blood chemistry, 120
cattle, 120
cattle breeds, 1035
cattle weight gains, 451
dispersal, 421
economic threshold, 451
genetics, 433
helminthic, 451
horn fly, 1218
insecticide ear tags, 1035
insecticide mixtures, 111
insecticide resistance, 111
insecticide treatment, 811
Musca autumnalis, 811
movement, 421
nutrition, 120
permethrin, 433
permethrin tapes, 417
pyrethroids, 111, 1218
resistance, 433
resistance management, 111 , 291
Stomoxys calcitrans, 120, 417
Haematopinus suis, swine, 1031
Halticoptera circulus, biological control, 56
Chrysonotomyia punctiventris, 56
Ganaspidium hunteri, 56
integrated pest management, 56
Liriomyza spp., 56
parasites, 56
Heat treatment, *Dacus dorsalis*, 887
Grapholita molesta, 641
Prunus spp., 641
papayas, 887
quarantine pests, 641
Heliothis, *Microplitis croceipes*, 968
mass rearing, 968
Heliothis spp., cotton pinhead square shed, 527
Lygus lineolaris, 527
spp., technique, 527
Heliothis virescens, *Alabama argillacea*, 32
Bacillus thuringiensis, 961
behavior, 1149
binary mixtures, 333
cotton, 1149
deposit characteristics, 1314
droplet size, 460
generalist, 32
gossypol, 32
Heliothis zea, 655
insect mortality, 1314
insecticide sprays, 460
Nicotiana tabacum, 961
nutritional indices, 32
ovicides, 333
permethrin, 460
plant resistance, 655
pyrethroid resistance, 330
pyrethroids, 985
resistance, 985
soybeans, 655
specialist, 32
synergism, 333
temperature correlation, 330
Heliothis zea, *Bacillus thuringiensis*, 593
B-exotoxin, 593
Chrysops rufilabris, 376
corn plant introductions, 1048
cotton, 376
economic threshold, 867
food consumption, 593
Gossypium hirsutum, 376
Heliothis virescens, 655
host plant resistance, 1048
inherited sterility, 1233
insecticides, 1188
Microplitis demolitor, 1188
mating behavior, 1233
mortality, 883
pheromone traps, 867
plant resistance, 655
radiation, 483, 883
reproduction, 483
soybeans, 655
sterility, 483, 883
sweet corn, 867
Zea mays, 1048
Helminthic, cattle weight gains, 451
economic threshold, 451
Haematobia irritans, 451
Hemileuca oliviae, insecticidal control, 226
integrated pest management, 226
pesticide application, 226
rangeland, 226
Hemipterans, epicarp lesion, 398
kernel necrosis, 398
Pistacia vera, 398
Hemocyte, *Candida*, 1205
Periplaneta americana, 1205
Herbicides, antifeedant activity, 724
pronamide, 724
Spodoptera littoralis, 724
Herbivores, bioassay, 1334
gelatin, 1334
Homeopronematus anconai, *Aculops lycopersici*, 348
acaricides, 348
tomatoes, 348
Honeydews, *Illinoia liriodendri*, 380
insect monitoring, 380
Horn fly, *Haematobia irritans*, 1218
pyrethroid, 1218
Host odors, *Amyelois transitella*, 779
pyrethroids, 779
Host plant resistance, feeding preferences, 47
mite/host interaction, 47
oviposition rates, 47
Tetranychus urticae, 47
Host plants, feeding response, 1014
Popillia japonica, 1014
Host preference, *Liriomyza trifolii*, 758
oviposition, 758
Host resistance, *Diuraphis noxia*, 944
Host strains, Bermuda grass resistance, 1127
fall armyworm, 1127
Host plant resistance, corn plant introductions, 1048
Distraea saccharalis, 182
Heliothis zea, 1048
somaclonal variation, 182

tissue-culture, 182
Zea mays, 1048
Humiditron, insect shipments, 537
relative humidity control, 537
Hybrid sterility, genetic control, 1348
tobacco budworm, 1348
Hydramethylnon, *Blatta orientalis*, 131
chlorpyrifos, 131
diazinon, 131
structural modification, 131
Hypera postica, alfalfa weeds, 1306
alfalfa weevil, 1306
alfalfa, 248, 257, 512, 859, 975
fall control, 859
nutrient quality, 257
perimeter spray, 859
pest interactions, 248, 257
pest management, 512
plant resistance, 975
root-rot diseases, 248, 257
Sitona hispidulus, 248, 257
sampling, 512
seedling test, 975
yield, 248
Hyperodes sp., *Listronotus maculicollis*, 773
Poa annua, 773
Hypoderma bovis, *Hypoderma lineatum*, 1028
worms, 1028
Hypoderma lineatum, *Hypoderma bovis*, 1028
worms, 1028

Illinoia liriodendri, honeydews, 380
insect monitoring, 380
Indianmeal moth, *Bacillus thuringiensis*, 1122
insecticide resistance, 1122
Infestation, *Blattella germanica*, 446
population distribution, 446
Inherited sterility, *Heliothis zea*, 1233
mating behavior, 1233
Insect control, almonds, 1291
Amyelois transitella, 1291
Insect detection, Phycitinae, 1229
raisins, 1229
Insect feeding, *Mentha* spp., 69
mint, 69
oil, 69
Pyrausta orphisalis, 69
plant growth, 69
yield, 69
Insect growth regulator, cyromazine, 352
Drosophila melanogaster, 317
Musca domestica, 352
methoprene, 317
resistance, 352
Insect growth regulators, *Choristoneura occidentalis*, 18
Dacus dorsalis, 494
methoprene, 494
multinomial logit model, 18
papayas, 494
pyrethroids, 18
Insect monitoring, beans, 242
blacklight traps, 242
honeydews, 380
Illinoia liriodendri, 380
Loxagrotis albicosta, 242
mass trapping, 525
pheromone traps, 242
sticky traps, 525
Insect mortality, deposit characteristics, 1314
Heliothis virescens, 1314
Insect outbreaks, Acrididae, 1100
Markov models, 1100
rangeland pests, 1100
Insect pests, *Carpophilus hemipterus*, 1351
insect rearing, 1351
Insect rearing, *Carpophilus hemipterus*, 1351
insect pests, 1351
Insect shipments, humiditron, 537
relative humidity control, 537
Insect traps, aphids, 51
color preference, 51
Frankliniella occidentalis, 51
leafminers, 51
lettuce, 51
tomato spotted wilt virus, 51
Insecticidal control, grain sorghum, 490
Hemileuca oliviae, 226
integrated pest management, 226
pesticide application, 226
rangeland, 226
Schizaphis graminum, 490
soil treatment, 490
Insecticide absorption/metabolism, insecticide toxicity, 739
Microplitis croceipes, 739
Insecticide bait, grasshopper control, 685
Nosema locustae, 685
Insecticide ear tags, cattle breeds, 1035
Haematobia irritans, 1035
Insecticide efficacy, *Anticarsia gemmatalis*, 169
larva size class, 169
Plathypena scabra, 169
Pseudoplusia includens, 169
soybean pests, 169
soybean row spacing, 169
Insecticide mixtures, *Haematobia irritans*, 111
insecticide resistance, 111
pyrethroids, 111
resistance management, 111
Insecticide resistance, *Anthonomus grandis grandis*, 358
Apis mellifera, 5
Bacillus thuringiensis, 1122
cabbage pest management, 1091
cotton pests, 358
detoxification, 5
Haematobia irritans, 111
Indianmeal moth, 1122
insecticide mixtures, 111
Liriomyza sativae, 1262
Liriomyza trifolii, 1262
methyl parathion, 358
pyrethroids, 111, 1091
resistance management, 111
variation, 5
Insecticide sprays, droplet size, 460
Heliothis virescens, 460
permethrin, 460
Insecticide toxicity, insecticide absorption/metabolism, 739
Microplitis croceipes, 739
Insecticide treatment, *Haematobia irritans*, 811
Musca autumnalis, 811
Insecticides, almonds, 193, 650
Amyelois transitella, 650
cotton, 854
Heliothis zea, 1188
Metaseiulus occidentalis, 650
Microplitis demolitor, 1188
pest management, 193
selective application, 650
Tetranychus spp., 193
yield enhancers, 854
Insulation damage, *Alphitobius diaperinus*, 1197
Integrated pest management, biological control, 56
Chrysonotomyia punctiventris, 56
Ganaspidium hunteri, 56
Halticoptera circulus, 56
Hemileuca oliviae, 226
insecticidal control, 226
Liriomyza spp., 56
organotins, 304
Panonychus ulmi, 304
parasites, 56
pesticide application, 226
rangeland, 226
Tetranychus urticae, 304
Intercropping, clover, 1192
corn, 1192
Ostrinia nubilalis, 1192
Intraplant distribution, cantaloupe, 96
sampling, 96
Tetranychus urticae, 96
IPM, apple orchards, 979
fruit injury, 979
Iridomyrmex humilis, *Aleurothrixus floccosus*, 208
Aonidiella aurantii, 208
chlorpyrifos, 208
citrus pests, 208
foraging, 208
Planococcus citri, 208
Irradiation, *Carpophilus hemipterus*, 1302
Curculio, ecticides, 930
Curculio, 916
propagation, 916
Quercus virginiana, 916
raisins 1302
Irrigation, oaits, 164
Conoderus sp., 164
sampling, 164
traps, 164
Isazofos, residues, 950
thatch, 950
turfgrass, 950
Isofenphos, enhanced degradation, 880
oxyisofenphos, 465
thatch, 465
turfgrass thatch, 880
turfgrass, 465
Isoptera, sulfuryl fluoride, 1044
Isoptera, termite fumigation, 1044

Juvenile hormone, *Apis mellifera*, 784
foraging behavior, 784

Kernel necrosis, epicarp lesion, 398
hemipterans, 398
Pistacia vera, 398

Lagenidium giganteum, entomopathogen, 994
safety, 994
Larva size class, *Anticarsia gemmatalis*, 169
insecticide efficacy, 169
Plathypena scabra, 169
Pseudoplusia includens, 169
soybean pests, 169
soybean row spacing, 169
Larvae, alfalfa, 185
feeding, 185
Spissistilus festinus, 185
Larval development, *Dioryctria amatella*, 62
degree-days, 62
threshold temperature, 62
Larval diets, *Cochliomyia hominivorax*, 427
gelling agents, 427
Larval populations, *Diabrotica barberi*, 911
Diabrotica virgifera virgifera, 911
tillage, 911
Lasioderma serricorne, cotton, 830, 834
cotton strata, 843
foliar protein and tannin, 834
foliar protein, 843
methyl parathion, 834
plant protein, 830
tannin, 843
Leptinotarsa decemlineata, antifeedants, 575
biological control, 65
Edovum puttleri, 65
eggplants, 65
limonin, 575
oxamyl, 876

phytotoxicity, 876
tomatoes, 876
Lettuce, aphids, 51
color preference, 51
Franklinella occidentalis, 51
insect traps, 51
leafminers, 51
omato spotted wilt virus, 51
Leucine, *Apis mellifera*, 14
brood-rearing, 14
dandelions, 14
proline, 14
valine, 14
Life table, *Daktulosphaira vitifoliae*, 327
demography, 327
Vitis vinifera, 327
Limonin, antifeedants, 575
Leptinotarsa decemlineata, 575
Liriomyza sativae, assay, 1083
Chrysonotomyia punctiventris, 1254
dispersion, 107
insecticide resistance, 1262
Liriomyza trifolii, 1254, 1262, 1345
Phaseolus vulgaris, 107
permethrin, 1083
sequential sampling, 107
Liriomyza spp., biological control, 56
Chrysonotomyia punctiventris, 56
Ganaspidium hunteri, 56
Halticoptera circulus, 56
integrated pest management, 56
parasites, 56
Liriomyza trifolii, age stability, 102
bedding plants, 200
bell peppers, 102
Chrysonotomyia punctiventris, 1254
host preference, 758
insecticide resistance, 1262
Liriomyza sativae, 1254, 1262, 1345
nitrogen, 200
oviposition, 758
population trends, 102
sticky traps, 1345
survivorship, 200
tomatoes, 200
Listronotus maculicollis, *Hyperodes* sp., 773
Poa annua, 773
Loxagrotis albicosta, beans, 242
blacklight traps, 242
insect monitoring, 242
pheromone traps, 242
Lygus hesperus, feeding damage, 1018
red clover, 1018
Lygus lineolaris, cotton pinhead square shed, 527
Heliothis spp., 527
technique, 527
Lymantria dispar, chitinase, 1113
developmental stages, 901
nuclear polyhedrosis virus, 1113
nucleopolyhedrosis virus, 901
pheromone traps, 754
trap efficiency, 754
Lymantria dispar L, Avermectin B_{1a}, 1284
Milbemycin D, 1284

Maize, factorial experiment, 388
Sitophilus zeamais, 388
Mammalian safety, *Bacillus thuringiensis var. israelensis*, 717
Markov models, Acrididae, 1100
insect outbreaks, 1100
rangeland pests, 1100
Mass rearing, formulated diet, 272
Grapholita molesta, 272
Heliothis, 968
Microplitis croceipes, 968
quarantine pests, 272
stone fruits, 272
Mass trapping, insect monitoring, 525
sticky traps, 525
Mating behavior, *Heliothis zea*, 1233
inherited sterility, 1233
Mating effects, egg production, 93
Popillia japonica, 93
Medicago sativa, *Empoasca fabae*, 690
plant resistance, 690
Mediterranean fruit fly, eye color change, 1087
pupal development rate, 1087
Megastigmus spermotrophus, Contarinia oregonensis, 1076
chemical control, 1076
Douglas-fir cones, 1076
Mentha spp., insect feeding, 69
mint, 69
oil, 69
Pyrausta orphisalis, 69
plant growth, 69
yield, 69
Metaseiulus occidentalis, *Amyelois transitella*, 650
almonds, 650
Bacillus thuringiensis, 507
insecticides, 650
selective application, 650
Tetranychus pacificus, 507
Methoprene, *Dacus dorsalis*, 494
Drosophila melanogaster, 317
Methoprene, insect growth regulator, 317
insect growth regulators, 494
papayas, 494
Methyl bromide fumigation, *Cydia pomonella*, 840
nectarines, 840
Methyl parathion, *Anthonomus grandis grandis*, 358
cotton pests, 358
cotton, 834
foliar protein and tannin, 834
Methyl pissistilus festinus, threshold, 369
Metopolophium dirhodum, economic injury level, 478
economic threshold, 478
Sitobion avenae, 478
Microbials, *Bacillus thuringiensis*, 204
Choristoneura occidentalis, 204
persistence, 204
Microplitis croceipes, *Heliothis*, 968
insecticide absorption/metabolism, 739
insecticide toxicity, 739
mass rearing, 968
Microplitis demolitor, Heliothis zea, 1188
insecticides, 1188
Milbemycin D, Avermectin B_{1a}, 1284
Lymantria dispar L, 1284
Mint, insect feeding, 69
Mentha spp. 69
oil, 69
plant growth, 69
Pyrausta orphisalis, 69
yield, 69
Mite/host interaction, feeding preferences, 47
host plant resistance, 47
oviposition rates, 47
Tetranychus urticae, 47
Modeling, economic threshold, 297
economic-injury level, 297
Modified atmospheres, *Anastrepha suspensa*, 1223
Molluscicide, *Deroceras laeve*, 936
strawberries, 936
Monitoring, azinphosmethyl resistance, 733
Epiphyas postvittana, 733
pheromones, 763
Sitophilus zeamais, 763
Mortality, *Conotrachelus nenuphar*, 1152
Cylas formicarius elegantulus, 142
gamma radiation, 142
Heliothis zea, 883
radiation, 883
sterility, 142, 883
Mosquitoes, chemical persistence, 126
developmental inhibitors, 126
fenoxycarb, 126
growth regulators, 126
Movement, dispersal, 421
dispersal, 421
Haematobia irritans, 421
Haematobia irritans, 421
Multinomial logit model, *Choristoneura occidentalis*, 18
insect growth regulators, 18
pyrethroids, 18
Musca autumnalis, benzylphenols, 37
Haematobia irritans, 811
insecticide treatment, 811
reproduction, 37
sterility, 37
triflumuron, 37
Musca domestica, biological control, 438
cyromazine, 352
Diptera, 438
dairies, 636
electrocutor traps, 826
Fannia, 438
formamidines, 322
insect growth regulator, 352
nematodes, 438
permethrin, 636
resistance, 352, 636
Stomoxys calcitrans, 1039
sampling, 1039
Trichoplusia ni, 322
Mymaridae, *Anagrus giraulti*, 362
Circulifer tenellus, 362
egg parasitoid, 362
Myzus persicae, *Aphidoletes aphidimyza*, 147
biological control, 147
greenhouse, 147
release rates, 147

Narrow rows, sampling, 848
soybeans, 848
Nectarines, *Cydia pomonella*, 840
methyl bromide fumigation, 840
Neem, *Azadirachta indica*, 1079
avermectin, 588
azadirachtin, 384
Bacillus thuringiensis var. *kurstaki*, 588
feeding deterrents, 384
rice, 1079
Spodoptera exigua, 588
Spodoptera frugiperda, 384
thuringiensin, 588
tungro viruses, 1079
Nematode control, aldicarb, 1064
citrus nematode, 1064
Phyllocoptruta oleivora, 1064
Nesara viridula, *Acrosternum hilare*, 215
Euschistus spp., 215
feeding damage, 666
field corn, 666
plant damage, 215
soybeans, 215
Nicotiana tabacum, *Bacillus thuringiensis*, 961
Heliothis virescens, 961
Nitrogen, bedding plants, 200
Liriomyza trifolii, 200
survivorship, 200
tomatoes, 200
Nontarget effects, *Bacillus thuringiensis*, 750
Choristoneura occidentalis, 750
Nosema locustae, grasshopper control, 685
insecticide bait, 685
No-till, *Schizaphis graminum*, 792
sorghum, 792
Nuclear polyhedrosis virus, chitinase, 1113
Lymantria dispar, 1113

Nucleopolyhedrosis virus, developmental stages, 901
  Lymantria dispar, 901
Nutrient quality, alfalfa, 257
  Hypera postica, 257
  pest interactions, 257
  root-rot diseases, 257
  Sitona hispidulus, 257
  stone fruits, 272
Nutrition, blood chemistry, 120
  cattle, 120
  Haematobia irritans, 120
  Stomoxys calcitrans, 120
Nutritional indices, *Alabama argillacea*, 32
  generalist, 32
  gossypol, 32
  Heliothis virescens, 32
  specialist, 32
Nuts, gamma radiation, 497
  Plodia interpunctella, 497
N_2 fixation, *Pseudoplusia includens*, 1319
  soybeans, 1319

Oats, *Rhopalosiphum padi* (L), 1272
  seed systemics, 1272
Oil, insect feeding, 69
  Mentha spp., 69
  mint, 69
  Pyrausta orphisalis, 69
  plant growth, 69
  yield, 69
Omphisa anastomosalis, resistance breeding, 788
  resistance screening, 788
Onions, *Frankliniella occidentalis*, 502
  population resurgence, 502
  sampling, 1051
  Thrips tabaci, 1051
Organotins, integrated pest management, 304
  Panonychus ulmi, 304
  Tetranychus urticae, 304
Oryzaephilus surinamensis, stored product, 601
Ostrinia furnacalis, corn, 411
  feeding sites, 411
  resistance, 411
Ostrinia nubilalis, bean resistance, 521
  clover, 1192
  corn, 1192
  intercropping, 1192
Ovicides, binary mixtures, 333
  Heliothis virescens, 333
  synergism, 333
Oviposition, host preference, 758
  Liriomyza trifolii, 758
Oviposition rates, feeding preferences, 47
  host plant resistance, 47
  mite/host interaction, 47
  Tetranychus urticae, 47
Oviposition stimulant, corn kernel extracts, 1010
  Sitophilus zeamais, 1010
Oxamyl, *Leptinotarsa decemlineata*, 876
  phytotoxicity, 876
  tomatoes, 876
Oxyisofenphos, isofenphos, 465
  thatch, 465
  turfgrass, 465

Panonychus citri, feeding damage, 1249
  photosynthesis, 1249
Panonychus ulmi, apples, 230
  bioassay methods, 230
  cyhexatin, 230
  integrated pest management, 304
  organotins, 304
  resistance, 230
  Tetranychus urticae, 304
Papayas, *Dacus dorsalis*, 494, 887
  heat treatment, 887
  insect growth regulators, 494
  methoprene, 494
Parasites, biological control, 56
  Chrysonotomyia punctiventris, 56
  Ganaspidium hunteri, 56
  Halticoptera circulus, 56
  integrated pest management, 56
  Liriomyza spp., 56
Parasitism, stable fly, 1025
  swine, 1025
Parasitization, *Biosteres arisanus*, 77
  Biosteres longicaudatus, 77
  Biosteres tryoni, 77
  Ceratitis capitata, 77
  Dacus dorsalis, 77
Parasporal body proteins, *Bacillus thuringiensis* subsp. *israelensis*, 1131
  plasmid complements, 1131
Pectinophora gossypiella, gossyplure, 1267
  pheromones, 1267
Periplaneta americana, *Blattella germanica*, 1022
  Candida, 1205
  hemocyte, 1205
  repellents, 1022
Permethrin, assay, 1083
  dairies, 636
  droplet size, 460
  genetics, 433
  Haematobia irritans, 433
  Heliothis virescens, 460
  insecticide sprays, 460
  Liriomyza sativae, 1083
  Musca domestica, 636
  resistance, 433, 636
Permethrin tapes, *Haematobia irritans*, 417
  Stomoxys calcitrans, 417
Persistence, *Bacillus thuringiensis var. israelensis*, 717
  Bacillus thuringiensis, 204
  Choristoneura occidentalis, 204
  microbials, 204
Pest interactions, alfalfa, 248, 257
  Hypera postica, 248, 257
  nutrient quality, 257
  root-rot diseases, 248, 257
  Sitona hispidulus, 248, 257
  yield, 248
Pest management, alfalfa, 512
  almonds, 193
  Hypera postica, 512
  insecticides, 193
  sampling, 512
  sunflower moth, 1297
  Tetranychus spp., 193
  yield impact, 1297
Pesticide application, all-terrain vehicle, 548
  Hemileuca oliviae, 226
  insecticidal control, 226
  integrated pest management, 226
  rangeland, 226
  small-plot research, 548
Pesticide resistance, acaricides, 565
  propargite, 565
  Tetranychus spp., 565
Pesticide toxicity, citrus IPM, 953
  predatory mites, 953
Pesticide use, apple orchards, 979
  fruit injury, 979
Pesticides, *Blattella germanica*, 728
  resistance, 728
  synergists, 728
Phagostimulant mixtures, *Spodoptera littoralis*, 990
Phaseolus vulgaris, dispersion, 107
  Liriomyza sativae, 107
  sequential sampling, 107
Pherocon AM traps, *Diabrotica barberi*, 891
  Diabrotica virgifera virgifera, 891
Pheromone traps, *Apis mellifera*, 532
  beans, 242
  blacklight traps, 242
  drones, 532
  economic threshold, 867
  Heliothis zea, 867
  insect monitoring, 242
  Loxagrotis albicosta, 242
  Lymantria dispar, 754
  sweet corn, 867
  synthetic 9-ODA, 532
  trap efficiency, 754
Pheromones, attractants, 708
  Cadra cautella, 897
  gossyplure, 1267
  monitoring, 763
  Pectinophora gossypiella, 1267
  Prionoxystus robiniae, 708
  Sitophilus zeamais, 763
  trap design, 897
  trapping, 708
Photosynthesis, feeding damage, 1249
  Panonychus citri, 1249
Phycitinae, insect detection, 1229
  raisins, 1229
Phyllocoptruta oleivora, aldicarb, 1064
  citrus nematode, 1064
  nematode control, 1064
Phyllophaga, *Polyphylla*, 1072
  white grubs, 1072
Phytotoxicity, *Leptinotarsa decemlineata*, 876
  oxamyl, 876
  tomatoes, 876
Pistacia vera, epicarp lesion, 398
  hemipterans, 398
  kernel necrosis, 398
Pisum sativum, control, 1325
  Thrips tabaci, 1325
Planococcus citri, *Aleurothrixus floccosus*, 208
  Aonidiella aurantii, 208
  chlorpyrifos, 208
  citrus pests, 208
  foraging, 208
  Iridomyrmex humilis, 208
Plant damage, *Acrosternum hilare*, 215
  Euschistus spp., 215
  Nezara viridula, 215
  soybeans, 215
Plant growth, insect feeding, 69
  Mentha spp., 69
  mint, 69
  oil, 69
  Pyrausta orphisalis, 69
  yield, 69
Plant protein, cotton, 830
  Lasioderma serricorne, 830
Plant resistance, alfalfa, 975
  Diatraea grandiosella, 1340
  Empoasca fabae, 690
  Heliothis virescens, 655
  Heliothis zea, 655
  Hypera postica, 975
  Medicago sativa, 690
  Spodoptera frugiperda, 1340
  seedling test, 975
  soybeans, 655
Planting date, *Smicronyx fulvus*, 190
  sunflowers, 190
Plasmid complements, *Bacillus thuringiensis* subsp. *israelensis*, 1131
  parasporal body proteins, 1131
Plathypena scabra, *Anticarsia gemmatalis*, 169, 1244
  insecticide efficacy, 169
  larva size class, 169
  Pseudoplusia includens, 169, 1244
  soybean pests, 169
  soybean row spacing, 169
Plodia interpunctella, gamma radiation, 497
  nuts, 497

raisins, 497
sterility, 497
Plutella xylostella, action threshold, 175
cabbage, 175
Plutella xylostella, chitin synthesis inhibitors, 29
resistance, 29
Spodoptera exigua, 175
Trichoplusia ni, 175
Poa annua, *Hyperodes* sp., 773
Listronotus maculicollis, 773
Polyphylla, *Phyllophaga*, 1072
white grubs, 1072
Popillia japonica, egg production, 93
feeding response, 1014
host plants, 1014
mating effects, 93
Population distribution, *Blattella germanica*, 446
infestation, 446
Population estimates, *Apis mellifera*, 544
foraging, 544
trapping, 544
Population resurgence, *Frankliniella occidentalis*, 502
onions, 502
Population trends, age stability, 102
bell peppers, 102
Liriomyza trifolii, 102
Predatory mites, biological control, 906
citrus IPM, 953
corn, 906
pesticide toxicity, 953
Prediction models, *Choristoneura fumiferana*, 712
Choristoneura pinus pinus, 712
egg masses, 712
Prionoxystus robiniae, attractants, 708
pheromones, 708
trapping, 708
Proline, *Apis mellifera*, 14
brood-rearing, 14
dandelions, 14
leucine, 14
valine, 14
Pronamide, antifeedant activity, 724
herbicides, 724
Spodoptera litcoralis, 724
Propagation, *Curculio*, 916
Curculio, 916
Quercus virginiana, 916
Quercus virginiana, 916
Propargite, acaricides, 565
almonds, 560
cyhexatin, 560
dicofod, 579
pesticide resistance, 565
resistance, 579
Tetranychidae, 560
Tetranychus spp., 565
Tetranychus, 579
Prunasin, amygdalin, 338
Synanthedon exitiosa, 338
Synanthedon pictipes, 338
Prunus persica, fumigation, 1226
Grapholita molesta, 1226
Prunus spp., *Grapholita molesta*, 641
heat treatment, 641
quarantine pests, 641
Pseudoplusia includens, *Anticarsia gemmatalis*, 1244
Anticarsia gemmatalis, 169
insecticide efficacy, 169
larva size class, 169
N_2 fixation, 1319
Plathypena scabra, 1244
Plathypena scabra, 169
soybean pests, 169
soybean row spacing, 169
soybeans, 1319
Pupal development rate, eye color change, 1087
Mediterranean fruit fly, 1087
Pyrausta orphisalis, insect feeding, 69
Mentha spp., 69
mint, 69
oil, 69
plant growth, 69
yield, 69
Pyrethroid, *Haematobia irritans*, 1218
horn fly, 1218
Pyrethroid resistance, *Blattella germanica*, 1117
Heliothis virescens, 330
synergists, 1117
temperature correlation, 330
Pyrethroids, *Amyelois transitella*, 779
Choristoneura occidentalis, 18
cabbage pest management, 1091
Haematobia irritans, 111
Heliothis virescens, 985
host odors, 779
insect growth regulators, 18
insecticide mixtures, 111
insecticide resistance, 111, 1091
multinomial logit model, 18
resistance management, 111
resistance, 985
stored-product insects, 9
temperature coefficient, 9
toxicity, 9
predatory mites, almonds, 555
biological control, 555
predatory mites, economic analysis, 555

Quarantine pests, formulated diet, 272
Grapholita molesta, 641
heat treatment, 641
mass rearing, 272
Prunus spp., 641
Quarantine security, *Anastrepha suspensa*, 646
commodity treatment, 646

Quercus virginiana, *Curculio*, 916
Curculio, 916
irradiation, 916
propagation, 916
Radiation, *Heliothis zea*, 483, 883
mortality, 883
reproduction, 483
sterility, 483, 883
Raisins, *Carpophilus hemipterus*, 1302
gamma radiation, 497
insect detection, 1229
irradiation, 1302
Phycitinae, 1229
Plodia interpunctella, 497
Rangeland, *Hemileuca oliviae*, 226
insecticidal control, 226
integrated pest management, 226
pesticide application, 226
Rangeland pests, Acrididae, 1100
insect outbreaks, 1100
Markov models, 1100
Rearing, artificial diets, 1337
Ducus latifrons, 1337
Red clover, feeding damage, 1018
Lygus hesperus, 1018
Relative humidity control, humiditron, 537
insect shipments, 537
Release rates, *Aphidoletes aphidimyza*, 147
biological control, 147
greenhouse, 147
Myzus persicae, 147
Repellency, bifenthrin, 517
drop size, 517
Tetranychus urticae, 517
Repellents, *Blattella germanica*, 1022
Periplaneta americana, 1022
Reproduction, benzylphenols, 37
biotypes, 394
corn, 394
Heliothis zea, 483
Musca autumnalis, 37
radiation, 483
Schizaphis graminum, 394
sterility, 37, 483
triflumuron, 37
Residues, isazofos, 950
thatch, 950
turfgrass, 950
Resistance, abamectin, 221
apples, 230
avermectin B_{1a}, 221
Blattella germanica, 728
bioassay methods, 230
Cerotoma trifurcata, 151
chitin synthesis inhibitors, 29
corn, 411
cyhexatin, 230, 1106
cyromazine, 352
Diabrotica balteata, 151
dairies, 636
dicofol, 579, 998
European red mite, 1106
feeding sites, 411
genetics, 433
Haematobia irritans, 433
Heliothis virescens, 985
insect growth regulator, 352
Musca domestica, 352, 636
Ostrinia furnacalis, 411
Panonychus ulmi, 230
Plutella xylostella, 29
permethrin, 433, 636
pesticides, 728
propargite, 579
pyrethroids, 985
selection, 221
soybeans, 151
synergists, 728
Tetranychus pacificus, 221
Tetranychus spp., 998
Tetranychus urticae, 221
Tetranychus, 579
Resistance breeding, *Omphisa anastomasalis*, 788
resistance screening, 788
Resistance detection, *Blattella germanica*, 44
chlorpyrifos resistance, 44
Resistance management, *Haematobia irritans*, 111
Haematobia irritans, 291
insecticide mixtures, 111
insecticide resistance, 111
pyrethroids, 111
Resistance screening, *Omphisa anastomasalis*, 788
resistance breeding, 788
Rhagoletis pomonella, apple maggot, 1143
apple volatiles, 1057
control, 1057
trapping, 1143
Rhinotermitidae, antitermitics, 312
Coptotermes formosanus, 312
Rhipicephalus appendiculatus, control, 822
ear tags, 822
Rhopalosiphum padi, density, 933
sampling, 933
Rhopalosiphum padi (L), oats, 1272
seed systemics, 1272
Rhopalosiphum padi (L), winter wheat, 1272
Rhyzopertha dominica, stored product, 601
Rice, *Azadirachta indica*, 1079
neem, 1079
tungro viruses, 1079
Root-rot diseaseot diseases, 248, Root-rot diseases
Hypera postica, 248, 257
pest interactions, 248
Sitona hispidulus, 248, 257
yield, 248

Row cover, barrier, 768
  cabbages, 768
  Delia platura, 768
Rubus spp., *Aparteles aristotelise*, 799
  Argyrotaenia citrana, 799

Safety, entomopathogen, 994
  Legenidium giganteum, 994
Sampling, alfalfa, 512
  baits, 164
  Conoderus sp., 164
  cantaloupe, 96
  density, 933
  Hypera postica, 512
  intraplant distribution, 96
  irrigation, 164
  Musca domestica, 1039
  narrow rows, 1051
  onions, 1051
  pest management, 512
  Rhopalosiphum padi, 933
  Stomoxys calcitrans, 1039
  soybeans, 848
  Tetranychus urticae, 96
  Thrips tabaci, 1051
  traps, 164
Sampling techniques, *Spissistilus festinus*, 369
  sequential sampling, 369
  techniques, threshold, 369
Sarcoptes, behavior, 625
  growth performance, 625
  swine mange, 625
Sarcoptes scabiei, *Haematopinus suis*, 1031
  swine, 1031
Scapteriscus, bait, 659
  feeding stimulant, 659
Schizaphis graminum, biotypes, 394
  corn, 394
  grain sorghum, 490
  insecticidal control, 490
  no-till, 792
  reproduction, 394
  soil treatment, 490
  sorghum, 792
Screwworm, *Cochliomyia hominivorax*, 1213
  weight, 1213
Seed systemics, oats, 1272
  Rhopalosiphum padi (L), 1272
  winter wheat, 1272
Seed treatments, *Agrotis ipsilon*, 821
  acephatecal control
Seedling test, alfalfa, 975
  Hypera postica, 975
  plant resistance, 975
Selection, abamectin, 221
  avermectin B_{1a}, 221
  resistance, 221
  Tetranychus pacificus, 221
  Tetranychus urticae, 221
Sequential sampling, *Acyrthosiphon pisum*, 605
  Diabrotica sp., 1278
  dispersion, 107
  economic threshold, 1278
  field peas, 605
  Liriomyza sativae, 107
  Phaseolus vulgaris, 107
  Spissistilus festinus, 369
  sampling techniques, 369
  threshold, 369
Sitobion avenae, economic injury level, 478
  economic threshold, 478
  Metopolophium dirhodum, 478
Sitona hispidulus, alfalfa, 248, 257
  Hypera postica, 248, 257
  nutrient quality, 248, 257
  pest interactions, 248, 257
  root-rot diseases, 248, 257
  yield, 248
Sitophilus zeamais, corn kernel extracts, 1010
  factorial experiment, 388
  maize, 388
  monitoring, 763
  oviposition stimulant, 1010
  pheromones, 763
Slow-acting insecticides, *Coptotermes formosanus*, 1
  effective lethal times, 1
  time trends, 1
Slugs, corn, 680
  Delia platura, 680
  soybeans, 680
  tillage methods, 680
Small-plot research, all-terrain vehicle, 548
  pesticide application, 548
Smicronyx fulvus, planting date, 190
  sunflowers, 190
Soil cores, *Epitrix hirtipennis*, 81
  emergence traps, 81
Soil treatment, grain sorghum, 490
  insecticidal control, 490
  Schizaphis graminum, 490
Somaclonal variation, *Diatraea saccharalis*, 182
  host-plant resistance, 182
  tissue-culture, 182
Sorghum, no-till, 792
  Schizaphis graminum, 792
Soybean pests, *Anticarsia gemmatalis*, 169
  insecticide efficacy, 169
  larva size class, 169
  Plathypena scabra, 169
  Pseudoplusia includens, 169
  soybean row spacing, 169
Soybean row spacing, *Anticarsia gemmatalis*, 169
  insecticide efficacy, 169
  larva size class, 169
  Plathypena scabra, 169
  Pseudoplusia includens, 169
  soybean pests, 169
Soybeans, *Acrosternum hilare*, 215
  biological control, 612
  Cerotoma trifurcata, 151
  Coccipolipus epilachnae, 612
  Delia platura, 680
  Diabrotica balteata, 151
  Epilachna varivestis, 237, 612
  Euschistus spp., 215
  Heliothis virescens, 655
  Heliothis zea, 655
  Nezara viridula, 215
  N_2 fixation, 1319
  narrow rows, 848
  Pseudoplusia includens, 1319
  plant damage, 215
  plant resistance, 655
  Spissistilus festinus, 471
  sampling, 848
  slugs, 680
  tillage methods, 680
  trypsin inhibitor, 237
  yield, 471
Specialist, *Alabama argillacea*, 32
  generalist, 32
  gossypol, 32
  Heliothis virescens, 32
  nutritional indices, 32
Spissistilus festinus, alfalfa, 185
  feeding, 185
  larvae, 185
  soybeans, 471
  yield, 471
Spodoptera exigua, action threshold, 175
  avermectin, 588
  Bacillus thuringiensis var. *kurstaki*, 588
  cabbage, 175
  neem, 588
  Plutella xylostella, 175
  Trichoplusia ni, 175
  thuringiensin, 588
Spodoptera frugiperda, azadirachtin, 384
  Diatraea grandiosella, 1340
  eeding deterrents, 384
  neem, 384
  plant resistance, 1340
Spodoptera littoralis, antifeedant activity, 724
  herbicides, 724
  phagostimulant mixtures, 990
  pronamide, 724
Spring migration, *Conotrachelus nenuphar*, 1173
Stable fly, parasitism, 1025
  swine, 1025
Steinernema feltiae, *Alphitobius diaperinus*, 136
  biocontrol, 136
Stenotaphrum secundatum, *Blissus insularis*, 608
  cultivar, 608
  turf, 608
Sterility, benzylphenols, 37
  Cylas formicarius elegantulus, 142
  gamma radiation, 142, 497
  Heliothis zea, 483, 883
  Musca autumnalis, 37
  mortality, 142
Sterility, mortality, 142, 883
  Plodia interpunctella, 497
  radiation, 483, 883
  reproduction, 37, 483
  triflumuron, 37
Sticky traps, insect monitoring, 525
  Liriomyza sativae, 1345
  Liriomyza trifolii, 1345
  mass trapping, 525
Stomoxys calcitrans, blood chemistry, 120
  cattle, 120
  economic threshold, 117
  feedlot cattle, 117
  Haematobia irritans, 120
  Haematobia irritans, 417
  Musca domestica, 1039
Stomoxys calcitrans, nutrition, 120
permethrin tapes, 417
  sampling, 1039
Stone fruits, formulated diet, 272
  Grapholita molesta, 272
  mass rearing, 272
  quarantine pests, 272
Stored product, *Cryptolestes ferrugineus*, 601
  Oryzaephilus surinamensis, 601
Stored products, foods, 455
  Rhyzopertha dominica, 601
  Tribolium castaneum, 601
  warehouses, 455
Stored product insects, pyrethroids, 9
  temperature coefficient, 9
  insects, toxicity, 9
Strawberries, *Deroceras laeve*, 936
  molluscicide, 936
Structural modification, *Blatta orientalis*, 131
  chlorpyrifos, 131
Structural modification, diazinon, 131
  hydramathylnon, 131
Substituted benzamides, *Anthonomus grandis grandis*, 597
  dipping tests, 597
  feeding tests, 597
Sulfuryl fluoride, dosage regulation, 705
  fumigation, 705
  gas chromatography, 705
  Isoptera, 1044
  termite fumigation, 1044
Summer squash, *Acalymma vittatum*, 1004
  Diabrotica undecimpunctata howardi, 1004
Sunflower moth, pest management, 1297
  yield impact, 1297
Sunflowers, planting date, 190
  Smicronyx fulvus, 190

Survivorship, bedding plants, 200
Liriomyza trifolii, 200
nitrogen, 200
tomatoes, 200
Sweet corn, economic threshold, 867
Heliothis zea, 867
pheromone traps, 867
Swine, parasitism, 1025
stable fly, 1025
Swine mange, behavior, 625
growth performance, 625
Sarcoptes, 625
Swormlure, *Cochliomyia hominivorax*, 629
dichlorvos, 629
Synanthedon exitiosa, amygdalin, 338
prunasin, 338
Synanthedon pictipes, 338
Synanthedon pictipes, amygdalin, 338
prunasin, 338
Synanthedon exitiosa, 338
Synergism, attractants, 1137
binary mixtures, 333
Diabrotica, 1137
Heliothis virescens, 333
ovicides, 333
Synergists, *Blattella germanica*, 1117
Blattella germanica, 728
pesticides, 728
pyrethroid resistance, 1117
resistance, 728
Synthetic 9-ODA, *Apis mellifera*, 532
drones, 532
pheromone traps, 532

Tannin, cotton strata, 843
foliar protein, 843
Lasioderma serricorne, 843
Technique, cotton pinhead square shed, 527
Heliothis spp., 527
Lygus lineolaris, 527
Temperature coefficient, pyrethroids, 9
stored-product insects, 9
toxicity, 9
Temperature correlation, *Heliothis virescens*, 330
pyrethroid resistance, 330
Temperatures, *Anastrepha suspensa*, 1223
Termite fumigation, Isoptera, 1044
sulfuryl fluoride, 1044
Tetranychidae, almonds, 560
cyhexatin, 560
propargite, 560
Tetranychus, dicofol, 579
propargite, 579
resistance, 579
Tetranychus pacificus, abamectin, 221
avermectin B_{1a}, 221
Bacillus thuringiensis, 507
Metaseiulus occidentalis, 507
resistance, 221
selection, 221
Tetranychus urticae, 221
Tetranychus spp., acaricides, 565
almonds, 193
dicofol, 998
insecticides, 193
pest management, 193
pesticide resistance, 565
propargite, 565
resistance, 998
Tetranychus urticae, abamectin, 221
avermectin B_{1a}, 221
bifenthrin, 517
cantaloupe, 96
drop size, 517
feeding preferences, 47
host plant resistance, 47
integrated pest management, 304
intraplant distribution, 96
mite/host interaction, 47
organotins, 304
oviposition rates, 47
Panonychus ulmi, 304
repellency, 517
resistance, 221
sampling, 96
selection, 221
Tetranychus pacificus, 221
Thatch, isazofos, 950
isofenphos, 465
oxyisofenphos, 465
esidues, 950
turfgrass, 465, 950
Threshold, *Spissistilus festinus*, 369
sampling techniques, 369
sequential sampling, 369
Threshold temperature, *Dioryctria amatella*, 62
degree-days, 62
larval development, 62
Thrips tabaci, control, 1325
onions, 1051
Pisum sativum, 1325
sampling, 1051
Thuringiensin, avermectin, 588
Bacillus thuringiensis var. *kurstaki*, 588
neem, 588
Spodoptera exigua, 588
Tillage, alfalfa, 1288
Diabrotica barberi, 911
Diabrotica virgifera virgifera, 911
Empoasca fabae, 1288
larval populations, 911
Tillage methods, corn, 680
Delia platura, 680
slugs, 680
soybeans, 680

Time trends, *Coptotermes formosanus*, 1
effective lethal times, 1
slow-acting insecticides, 1
Tissue-culture, *Diatraea saccharalis*, 182
host-plant resistance, 182
somaclonal variation, 182
Tobacco budworm, genetic control, 1348
hybrid sterility, 1348
Tomato spotted wilt virus, aphids, 51
color preference, 51
Frankliniella occidentalis, 51
insect traps, 51
leafminers, 51
lettuce, 51
Tomatoes, acaricides, 348
Aculops lycopersici, 348
bedding plants, 200
biological control, 675
Homeopronematus anconai, 348
Leptinotarsa decemlineata, 876
Liriomyza trifolii, 200
nitrogen, 200
noxamyl, 876
phytotoxicity, 876
survivorship, 200
Trialeurodes vaporariorum, 675
yellow sticky traps, 675
Toxicity, pyrethroids, 9
stored-product insects, 9
temperature coefficient, 9
Trans isomers, attractant, 617
Ceratitis capitata, 617
trimedlure, 617
Trap design, *Cadra cautella*, 897
pheromones, 897
Trap efficiency, *Lymantria dispar*, 754
pheromone traps, 754
Trapping, *Apis mellifera*, 544
apple maggot, 1143
attractants, 708
foraging, 544
Erionota subflavus robiniae, 708
pheromones, 708
population estimates, 544
Rhagoletis pomonella, 1143
Traps, baits, 164
Conoderus sp., 164
irrigation, 164
sampling, 164
Trialeurodes vaporariorum, biological control, 675
tomatoes, 675
yellow sticky traps, 675
Tribolium castaneum, stored product, 601
Trichoplusia ni, action threshold, 175
cabbage, 175
formanilides, 322
Musca domestica, 322
Plutella xylostella, 175
Spodoptera exigua, 175
Triflumuron, benzylphenols, 37
Musca autumnalis, 37
reproduction, 37
sterility, 37
Trimedlure, attractant, 617
Ceratitis capitata, 617, 806
crystallization inhibitors, 806
trans isomers, 617
Trypsin inhibitor, *Epilachna varivestis*, 237
soybeans, 237
Tungro viruses, *Azadirachta indica*, 1079
neem, 1079
rice, 1079
Turf, *Blissus insularis*, 608
cultivar, 608
Stenotaphrum secundatum, 608
Turfgrass, isazofos, 950
isofenphos, 465
oxyisofenphos, 465
residues, 950
thatch, 465, 950
Turfgrass thatch, enhanced degradation, 880
isofenphos, 880

Valine, *Apis mellifera*, 14
brood-rearing, 14
dandelions, 14
leucine, 14
proline, 14
Variation, *Apis mellifera*, 5
detoxification, 5
insecticide resistance, 5
Virus transmission, *Aphis citricola*, 87
Aphis middletonii, 87
aphid trapping, 87
Vitis vinifera, *Daktulosphaira vitifoliae*, 327
demography, 327
Vitis vinifera, life table, 327

Warehouses, foods, 455
stored products, 455
Weight, *Cochliomyia hominivorax*, 1213
screwworm, 1213
Wheat, aphids, 696
Diuraphis noxia, 696
White grubs, *Phyllophaga*, 1072
Polyphylla, 1072
Winter wheat, *Rhopalosiphum padi* (L), 1272
seed systemics, 1272
Worms, *Hypoderma bovis*, 1028
Hypoderma lineatum, 1028

Yellow sticky traps, biological control, 675
Trialeurodes vaporariorum, 675
tomatoes, 675

Yield, alfalfa, 248
Hypera postica, 248
insect feeding, 69
Mentha spp., 69
mint, 69
oil, 69
Pyrausta orphisalis, 69
pest interactions, 248
plant growth, 69
root-rot diseases, 248
Sitona hispidulus, 248
Spinaetilus festinus, 471
soybeans, 471
Yield enhancers, cotton, 854
insecticides, 854
Yield impact, pest management, 1297
sunflower moth, 1297

Zea mays, corn plant introductions, 1048
Heliothis zea, 1048
host-plant resistance, 1048

Wheat, aphids, 696
Diuraphis noxia, 696
White grubs, *Phyllophthosiphon pisum*

CUMULATIVE AUTHOR INDEX

Journal of Economic Entomology,
Volume 80, 1987

Adams, A.J., 107
Adlers, W.C., 87
Ahmad, T.R., 897
Al-Abbasi, S.H., 47
Albrecht, C.P., 344
Alford, A.R., 575
Al-Izzi, M.A.J., 277
Ali, A., 985
Aliniazee, M.T., 1143
Allison, D.W., 69
Al-Maliky, S.K., 277
Alm, S.R., 517, 540
Andersen, J.F., 870
Anderson, R.M., 1149
Araya, J.E., 1272
Archer, T.L., 164
Arends, J.J., 136
Armbrust, E.J., 859
Arnason, J.T., 1192
Ascher, K.R.S., 724, 990
Axtell, R.C., 136, 1197

Bagley, C.P., 421
Bailey, J.C., 670
Bajet, N.B., 1079
Baker, T.C., 779
Barbour, K., 998
Barnes, M.M., 650
Barnett, W.W., 193, 1291
Barney, R.J., 388
Barney, R.J., 512, 1288
Bartell, D.P., 502
Barth, S.E., 537
Bateman, A.C., 394
Beckwith, R.C., 204, 750
Behle, R.W., 394
Bellows, T.S. Jr., 953
Benedict, J.H., 376, 1149
Benepal, P.S., 237
Benschoter, C.A., 1223
Bentley, M.D., 575
Bentley, W.J., 193
Berberet, R.C., 1306
Berisford, C.W., 62
Berry, E.C., 921
Berry, I.L., 117
Berry, R.E., 1278
Bethke, J.A., 200
Bishop, G.W., 478
Blickenstaff, C.C., 242
Bloomcamp, C.L., 352
Boethel, D.J., 151
Boethel, D.J., 215, 369, 471, 1319
Boling, J.A., 120
Bongers, A.J., 1229
Booth, S.R., 1143
Bouchard, B.L., 317
Bouse, L.F., 906
Boxler, D.J., 117, 1028
Brandl, D.G., 1229
Brenner, R.J., 446, 1022
Brethour, J.R., 1035
Brewer, M.J., 1004
Brezner, J., 1284
Broce, A.B., 37, 421, 625
Brower, J.H., 142
Brown, H.E., 629
Brown, M.A., 330
Bryce, J.R., 455
Bull, D.L., 739
Bullock, R., 65
Burd, J.D., 792
Burkholder, W.E., 763
Burton, R.L., 792, 944
Busacca, J.D., 190
Busey, P., 608
Byford, R.L., 111, 291, 421, 443
Bynum, E.D. Jr., 164

Campbell, C.L., 69
Campbell, J.B., 117, 451, 811, 1028
Candido, A.O., 1213
Carpenter, J.E., 483, 883, 1233
Cartwright, B., 175
Cathey, G.W., 670
Center, B.J., 608
Chalfant, R.B., 867
Chambers, C., 175
Chandler, L.D., 102
Chang, H.B., 972
Chapman, R.A., 880
Chapman, R.B., 733
Charlet, L.D., 190
Cheng, K.W., 788
Chew, V., 646
Childers, C.C., 1064
Chingon, H.T.G., 887
Cho, J.J., 51
Chowdhury, M.A., 483, 867
Clanton, D.C., 117, 451
Cline, L.D., 73
Cochran, D.G., 728, 1117
Cohen, A.C., 14
Collins, A.M., 621
Colvin, A., 565
Conley, J., 221
Corah, L., 1035
Cornelius, S.G., 1025
Craig, D.W., 1331
Crochen, F.C., 1205
Crocker, R.L., 916
Croft, B.A., 304, 799
Cromroy, H.L., 483, 883, 1233
Culin, J.D., 1108
Cullen, J.A., 575
Cunningham, R.T., 617, 806
Curtis, M.J., 763
Cushing, N.L., 1091
Cutkomp, L.K., 9

Danka, R.G., 544, 621
Davis, F.M., 1340
Davis, R.L., 117
Dawes, M.A., 142
Debarr, G.L., 62
Deecher, D.C., 1284
Dennehy, T.J., 230, 565, 998
DePew, L.J., 490
Deutscher, G.H., 117
Dickson, M.H., 521
Dintenfass, L.P., 502
Dively, G., 612
Dix, M.E., 708
Doane, J.F., 268
Doolittle, R.E., 708
Dowd, P.F., 1351
Dowdy, A.K., 1306
Dreistadt, S.H., 380
Dubose, W.P. III, 1188
Duke, M.E., 81
Duncan, L.W., 1064
Dunning, L.L., 1028
Dupras, E.F. Jr., 126

Eckenrode, C.J., 521
Edelson, J.V., 175
Ekbom, B.S., 933
Elden, T.C., 690
Elgin, J.H. Jr., 690, 975
Elkinton, J.S., 754
Engle, C.E., 650
Epplin, F.M., 443
Ertle, L.R., 537
Ervin, R.T., 443

Faris, M.A., 1192
Farrar, C.A., 96
Federici, B.A., 1131
Ferguson, J.E., 870
Finnell, C.M., 1267
Fiori, B.J., 1331
Fisher, G.C., 1278
Fisher, J.R., 286
Fisher, W.F., 1218
Flint, H.M., 1267
Foster, J.E., 1272
Foster, R., 1051
Fowler, G.W., 712
Fujimoto, M., 1087

Gaafar, S.M., 1031
Gade, W., 237
Gamble, L.M., 1205
Gardner, W.A., 925
Gary, N.E., 544
Gaston, L.K., 953
Geden, C.J., 136, 1197
Gentry, C.R., 338
Georghiou, G.P., 636
Georgis, R., 438
Ghidiu, G.M., 876
Gilkeson, L.A., 147
Gillespie, D.R., 675
Gilstrap, F.E., 102, 906
Goddard, J., 826
Godfrey, L.D., 248, 257
Gonzaga, V.G., 37
Grafton-Cardwell, E.E., 579, 998
Granett, J., 327, 560, 565, 579, 998
Gray, M.E., 911
Green, K.B., 1205
Grube, A.H., 859

Hagenbuch, B.E., 1022
Hagstrum, D.W., 601
Hain, F.P., 1072
Hair, J.A., 443
Hall, F.R., 517, 540
Hamer, J.L., 848
Hammond, R.B., 680
Haney, P.B., 208
Hanna, H.Y., 107
Hanula, J.L., 62
Hardman, J.M., 979
Hare, J.D., 1249
Harper, J.D., 593
Hart, E.R., 47
Hartley, G.G., 968
Hartsell, P.L., 840, 1226
Harvey, J.M., 272
Harvey, T.L., 1035
Haverty, M.I., 1
Hawley, M.K., 636
Hayes, C.F., 887
Haynes, J.W., 597
Headley, J.C., 555
Heims, N.M., 394
Hellman, J.L., 612
Hellmich, R.L. II, 621
Henderson, J.A., 226
Hendrickson, R.M. Jr., 537
Henry, J.E., 685
Herald, F., 1028
Herbert, D.A., 593
Hernandez, M., 1267
Highland, H.A., 73
Hill, S.B., 147, 1152, 1173
Hinsch, R.T., 1229
Hochmuth, R.C., 612
Hogsette, J.A., 417
Holliday, N.J., 936
Holtzer, T.O., 242
Hoogendorn, H., 1229
Hooker, M.L., 490
Hornby, J.A., 925
Horowitz, A.R., 333
Hough-Goldstein, J.A., 768
Howard, D.F., 407
Hoy, M.A., 221, 507, 555
Hoyt, S.C., 304
Huddleston, E.W., 226
Hudson, D.B., 451
Hughes, G.A., 18
Hutchins, S.H., 169, 548, 1244

Ibarra, J.E., 1131
Irvine, J.E., 182
Iwata, Y., 953

Jabbo, N.F., 277
Jacobson, L.D., 1025
Jamjanya, T., 1127
Jansson, R.K., 65
Johnson, D.E., 1122
Johnson, D.L., 685
Johnson, J.A., 497, 1302
Johnson, M.W., 56, 1083, 1091, 1254, 1262
Johnston, R.L., 478
Jones, O.R., 792

Kamel, El-B.N., 322
Kamm, J.A., 1018
Kard, B.M.R., 1072
Karr, L.L., 891
Kawamoto, D., 972
Keena, M.A., 560
Kemp, W.P., 1100
Kenney, P., 407
Kepner, R.L., 659
Khan, Z.A., 763
Khan, Z.R., 1079
King, E.G. Jr., 739
Knake, E.P., 921
Knapp, F.W., 120, 1028
Knight, A.L., 799
Knowles, C.O., 322
Kobayashi, R.M., 494
Koehler, P.G., 44, 352, 446, 1022
Komura, M., 972
Kraemer, M.E., 237
Kreasler, E.G. Jr., 792
Krieg, D.R., 854
Kring, T.J., 394
Krueger, N.R., 950
Kunz, S.E., 451, 811, 1218

LaChance, L.E., 1348
Ladd, T.L. Jr., 93, 1014
Lafleur, G., 1152, 1173
Lamb, R.J., 605
Lambert, J.D.H., 1192
Lampert, E.P., 81, 961
Lampman, R., 870

Lampman, R.L., 1137
Lara, J.R., 455
Lashomb, J., 65
Layton, M.B., 151, 215, 1319
Legg, D.E., 388, 512, 1010
Leigh, T.F., 565, 579, 834
Leonhardt, B.A., 617, 806
Leung, A.M.T., 887
Lifshitz, R., 724
Lillie, T.H., 826
Lippert, G.E., 601
Lloyd, R.W., 854
Lockwood, J.A., 111, 291, 421
Longnecker, M.T., 916
Loomis, E.C., 1028
Loper, G.M., 14
Lopez, J.D., 376
Loretan, P.A., 142
Luck, R.F., 208
Lunden, J.D., 930
Luther, D.G., 111
Luttrell, R.G., 460, 985, 1314
Lynch, J.A., 1254

Mackey, B.E., 830, 834, 843
Mackley, J.W., 629
MacLellan, C.R., 979
Madenjian, J.J., 455
Mahrt, G.G., 242
Maiteki, G.A., 605
Mangan, R.L., 427
Mason, G.A., 1083, 1262
Mau, R.F.L., 494
Mayer, D.F., 930
McCarty, J.C. Jr., 366
McDonald, P.T., 433, 1218
McGaughey, W.H., 1122
McGovern, T.P., 617, 806, 1022
McGovern, W.L., 366
McKee, M.J., 322
McKeen, W.D., 817
McNeil, J.N., 281
McVay, J.R., 338
McWilliams, J.M., 655
Meisner, J., 724, 990
Metcalf, R.L., 870, 1137
Meyer, J.A., 438, 636, 817, 1039
Meyerdirk, D.E., 362
Michailides, T.J., 398
Michels, G.J. Jr., 394
Mikolajczak, K.L., 1010
Millic, J.F., 44
Miller, G.T., 272, 641, 840, 1226
Miller, T.A., 333
Mink, J.S., 985
Mitchell, S., 1337
Mitchell, W.C., 51, 1345
Moar, W.J., 588
Mohammad, A.B., 1143
Montandon, R., 32
Montgomery, B.A., 712
Moon, R.D., 1025
Moratorio, M.S., 362
Moreno, D.S., 208
Morgan, D.L., 916
Morrison, D.G., 421
Morrison, R.K., 376, 906
Morse, J.G., 953
Mukerji, M.K., 268
Mullen, M.A., 142
Mullens, B.A., 438, 817, 1039
Mulligan, F.S. III, 126
Muntifering, R.B., 257
Murdock, L.L., 1334

Nafus, D.M., 263, 411
Navon, A., 990
Negron, J.F., 666
Negus, R., 1035
Nelssen, J.L., 625
Ng, S.S., 1340
Ng, Y.S., 85
Niemczyk, H.D., 465, 880, 950
Nishina, M.S., 494
Nitta, F.A., 887
Niwa, C.G., 750
North, R.C., 1051, 1325
Nyrop, J.P., 1051

Oetting, R.D., 876
Ogawa, J.M., 398
Olfert, O.O., 268
Olsen, A.R., 455
Onstad, D.W., 297
Orr, D.B., 215
Osbrink, W.L.A., 705, 1044
Oseto, C.Y., 190
Ouyang, Y.-L., 507

Parrella, M.P., 200
Pashley, D.P., 1127
Pass, B.C., 1288
Patterson, D., 1035
Patterson, R.S., 44, 352, 446, 1022
Pausch, R.D., 859
Pedigo, L.P., 548
Penman, D.R., 733
Perng, F.S., 29
Perring, T.M., 96, 348
Peterson, R.D. II, 1213
Petzoldt, C., 1051
Phelan, P.L., 779
Phillips, J.R., 527
Philogene, B.J.R., 1192
Pickett, C.H., 906
Pike, K.S., 69
Pitre, H.N., 169, 848, 1244
Poneleit, C.G., 1010
Potter, H.W., 455
Powell, J.E., 968
Pree, D.J., 1106
Preisler, H.K., 1113
Pryor, N.W., 739
Prystupa, B.D., 936

Quintero, E., 1267
Quiring, D., 675
Quisenberry, S.S., 185, 1127

Raffa, K.F., 384
Ramadan, M.M., 77
Rangappa, M., 237
Ratcliffe, R.H., 975
Rathbone, L., 930
Ratnieks, F.L.W., 784
Read, D.C., 156
Rechav, Y., 822
Reichard, D.L., 517, 540
Reid, M.R., 985
Reilly, C.C., 338
Reissig, W.H., 230, 1057
Reynolds, G.M., 455
Rice, R.E., 398
Richardson, R.J., 281
Riley, T.J., 666
Rinderer, T.E., 621
Roberts, S.J., 859
Robertson, J.L., 18, 901, 1113
Robin, M.R., 1345
Robinson, G.E., 784
Robinson, W.H., 131
Rodriguez, J.G., 388, 1010
Roelofs, W.L., 1057
Rogers, D.J., 733
Rogers, R.E.L., 979
Ross, J.B., 226
Roush, R.T., 985
Royalty, R.N., 96, 348
Royer, T.A., 1297
Ruff, J.P., 417
Russin, J.S., 215
Rust, M.K., 1044

Saini, R.S., 142
Salamanca, M.L., 358
Sanderson, J.P., 193
Sanderson, R., 226
Saul, S.H., 494
Savin, N.E., 18
Saxena, R.C., 1079
Schaefer, C.H., 126
Scheffrahn, R.H., 312, 705, 1044
Schmidt, C.D., 433, 1218
Schmidt, K.M., 1149
Schreiber, E.T., 451
Schreiner, I.H., 263, 411
Schroder, R.F.W., 612
Schuster, D.J., 758
Schwarz, M.R., 1057
Schwinghammer, K.A., 120
Scott, M.A., 502
Seaman, W.S., 650
Seo, S.T., 1087
Serratos, A., 1192
Shadduck, J.A., 717, 994
Shapiro, M., 901, 1113
Sharp, J.L., 646
Shaw, P.W., 733
Shelton, A.M., 1051, 1325
Sherman, M., 344
Shoemaker, C.A., 1057
Siegel, J.P., 717, 994
Simmons, G.A., 712
Skoda, S.R., 811
Smirle, M.J., 5
Smith, C.M., 151
Smith, D.B., 460, 1314
Smith, S.M., 111, 421
Snodgrass, G.L., 985
Soderstrom, E.L., 1229
Solomon, J.D., 708
Southern, P.S., 961
Sparks, A.N., 483, 883, 1233
Sparks, A.N. Jr., 369, 471
Sparks, T.C., 111, 291
Stadelbacher, E.A., 655
Stanley, B.H., 1057
Starks, K.J., 944
Staten, R.T., 1267
Stein, J.D., 1076
Stelzer, M.J., 204, 750
Sterling, W.L., 32
Stevenson, J.S., 625
Stinner, B.R., 680
Stipanovic, R.D., 32
Stoetzel, M.B., 696
Stoltz, R.L., 242
Storch, R.H., 575
Story, R.N., 107, 1004
Stritzke, J.F., 1306
Strong, W.B., 525
Su, N.-Y., 1, 312, 705, 1044
Subramanyam, BH., 9
Suckling, D.M., 733
Sun, C.N., 29
Swezey, S.L., 358
Szabo, J., 717

Tabashnik, B.E., 1091, 1262
Talekar, N.S., 788
Tamashiro, M., 1
Tanenbaum, S.W., 1284
Tashiro, H., 773
Taylor, D.B., 427
Thead, L.G., 848
Thoms, E.M., 131
Tilden, P.E., 1076
Timmer, L.W., 1064
Timper, P., 327
Tipping, P.W., 388, 1010
Tollefson, J.J., 891, 911
Toscano, N.C., 200, 333
Towell-Vail, C.A., 1031
Treacy, M.F., 376, 1149
Trumble, J.T., 200, 588
Tsuda, D.M., 494
Tugwell, N.P., 527

Vail, P.V., 497
Van Steenwyk, R.A., 1291
Vargas, R.I., 972, 1337
Verrett, J.M., 1205
Vincent, C., 1152
Vinson, S.B., 32
Vittum, P.J., 773

Wagner, T.L., 1149
Walgenbach, C.A., 763
Walgenbach, D.D., 1297
Walgenbach, J.F., 1238
Wearing, C.H., 733
Webb, D.R., 521
Webster, G.R.B., 936
Webster, J.A., 944
Weddle, R.C., 1267
Weigle, J.L., 47
Weinzierl, R.A., 1278
Weires, R.W., 230
Welter, S.C., 650
Welty, C., 230
Westigard, P.H., 304
Wheaton, T.A., 1064
White, W.H., 182
Wicks, G.A., 792
Wilder, W.H., 126
Williams, H.J., 32
Williams, J.L., 532
Williams, L. III, 527
Williams, R.E., 1031
Williams, W.P., 1340
Williamson, D.L., 1087
Wilson, H.K., 185
Wilson, R.L., 1048
Wilson, T.G., 317
Winston, M.L., 5
Wofford, J.T., 460
Wolfson, J.L., 1334
Wong, T.T.Y., 77
Wooten-Saadi, E., 625
Wooten-Saadi, E.L., 1031
Wright, V.L., 1004
Wyman, J.A., 1238

Yamamoto, A., 1267
Yeargan, K.V., 248, 257
Yokoyama, V.Y., 272, 641, 830, 834, 840, 843, 1226
Young, J.R., 483, 867, 883
Youngman, R.R., 333, 1249
Yu, S.J., 659
Yudin, L.S., 51

Zalom, F.G., 193
Zarate, R.E., 1267
Zavaleta, L.R., 859
Zimmerman, M.L., 455
Zoebisch, T.G., 758